



PMI SOFTWARE - SOC. COOP.
VIA TIRRENO, 2
84091 BATTIPAGLIA SA
ITALIA



NB ASUS Commercial NX B1502CVA-NJ0351X 15,6"
i5-1335U 8GB SSD512GB W11P

Prezzo Utente

IVA non inclusa

€ 553,45

DETTAGLIO PRODOTTO E GARANZIA

CODICE ARTICOLO	CODICE PRODUTTORE	EAN
50246	90NX06X1-M00CN0	4711387395974
DOA	GARANZIA	
7 gg; Diretta utente finale tel. 0287367353 o 199 400 089	1 anno; Diretta utente finale tel. 0287367353 o 199 400 089	

SCHEDA TECNICA

CARATTERISTICHE	
Part No	90NX06X1-M00CN0
Model Name	B1502CVA-NJ0351X
EAN Code	4711387395974
Operating System	Windows 11 Pro - ASUS recommends Windows 11 Pro for business
Office	1-month trial for new Microsoft 365 customers. Credit card required.
LCD cover-material	Plastic
LCD cover-color	Star Black
Top case-material	Plastic
Top case-color	Star Black
Bottom case-material	Plastic
Bottom case-color	Star Black
Military grade	US MIL-STD 810H military-grade standard
Panel Size	15.6-inch
Backlit	LED Backlit
Brightness	250nits
Resolution	FHD (1920 x 1080) 16:9
Glare	Anti-glare display
Color gamut	NTSC: 45%
View angle (H/V)	90/65
Response time (Typ/Max) (ms)	10/20
Refresh rate	60Hz
Contrast (Typ)	500:1
Touch Panel	Non-touch screen
Screen-to-body ratio	83 %
IPS-level	TN

Processor	Intel® Core™ i5-1335U Processor 1.3GHz (12M Cache, up to 4.6GHz, 10 cores)
Chipset	N/A
Discrete/Share	Share
Integrated GPU	Intel® UHD Graphics
VRAM	N/A
Expansion Slot (includes used)	1x DDR4 SO-DIMM slot 1x M.2 2280 PCIe 4.0x4
On board memory	8GB DDR4 on board
Total System Memory	DDR4 8GB
Storage	512GB M.2 2280 NVMe™ PCIe® 4.0 SSD
SSD Cache	N/A
Front-facing camera	720p HD camera With privacy shutter
Wireless	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.2 Wireless Card
NumberPad	N/A
ScreenPad	N/A
FingerPrint	N/A
Keyboard type	Chiclet Keyboard
I/O ports	1x USB 2.0 Type-A 1x USB 3.2 Gen 1 Type-A 1x USB 3.2 Gen 1 Type-C support power delivery 1x USB 3.2 Gen 2 Type-C support display / power delivery 1x HDMI 1.4 1x 3.5mm Combo Audio Jack 1x RJ45 Gigabit Ethernet
Audio	Audio by Dirac Built-in speaker Built-in array microphone
Voice control	N/A
Battery	42WHrs, 3S1P, 3-cell Li-ion
AC Adapter	TYPE-C, 65W AC Adapter, Output: 20V DC, 3.25A, 65W, Input: 100~240V AC 50/60Hz universal
Dimension (WxHxD)	36.16 x 23.30 x 1.99 ~ 1.99 cm (14.24" x 9.17" x 0.78" ~ 0.78")
Weight (with Battery)	1.69 kg (3.73 lbs)
Weight (w/o Battery)	1.52 kg (3.35 lbs)
Security	Kensington Nano Security Slot™ BIOS Booting User Password Protection BIOS setup user password Computrace ready from BIOS HDD User Password Protection and Security Trusted Platform Module (Firmware TPM)
Antivirus	N/A
MyASUS feature	System diagnosis Battery health charging Fan Profile Splendid Tru2Life Function key lock WiFi SmartConnect AppDeals Link to MyASUS
Built-in Apps	MyASUS McAfee

Ecolabels & Compliances	EPEAT Gold Energy star 8.0 FSC Mix REACH RoHS TCO Certified
-------------------------	--

NOTE	
DESCRIZIONE	SCHEDA TECNICA PROVENIENTE DAL SITO UFFICIALE DEL FORNITORE